


3-ply Mask for medical use, BLUE of CE-Marking (Type II) - ENI4683 3-ply Mask for medical use, BLUE or WHITE Made in France

V II.04.2022



The Advantages⁺

- 100% French manufacturing
- Electrostatic filter fleece
- Very comfortable Excellent respiratory comfort
- Without latex, silicone, PVC
- Without Graphene
- Adjustable nose bar with shape memory
- Manufacturing process guaranteeing the cleanliness of our products from the production line up to the packaging process



Category	Non-sterile Class I Medical device Single-use medical mask (type II)
Standard and legislation	EU Medical Devices Directive 93/42/EEC Complies with standard EN 14683:2019+AC:2019
Description	 Mask for medical use, non-sterile, for single use, Model: 1000 series Specifications: Adjustable shape memory nose clip, 3 sizes XS (child size), S. (slim Face), M (Adult) Dimensions: XS. 140 x 80 mm - S. 140 x 95 mm - M. 170 x 95 mm Bacterial filtration efficiency: see performance table Mask weight for each size (+/- 5%): Type II: XS 2.I gr - S 2.25 gr - M 2.45 gr
Composition	 Inner and outer layers: polypropylene nonwovens spunbond . Intermediate layer: nonwovens meltblown in polypropylene. Nose bar: aluminium strip. Elastic: Polyamide / spandex mesh ou polypropylene / spandex mesh French manufacturing lines – Controlled raw materials and products
Materiovigilance	The materials likely to come into contact with the wearer's skin do not present a risk of irritation or harmful effects to health.
Storage and preservation	Mask should be stored in a clean, dry, cool and well-ventilated place. Humidity less than 80%, temperatures between +5°C and +40°C. Maximum storage period: 5 years in their original packaging



3-ply Mask for medical use, BLUE of CE-Marking (Type II) - ENI4683 Made in France 3-ply Mask for medical use, **BLUE** or WHITE Made in France

V II.04.2022

Performances	EN 14683:2019 Type Type II	Bacterial filtration effectiveness (BFE) ≥ 98 %	Differential Pressure (Pa/cm²)	Resistance to projections (kPa) Not required	Cleanliness microbial (cfu/g) ≤ 30	
Duration of use	4 hours maximum (in d	one shift – continuous)				
Sector of use	 Medical sector not Service, community Infrastructure, cons Light industry Logistics transport Medico-Social Retirement home Schools 	 General public Professional, sectors for example: Medical sector not exposed to projections and splashes Service, community, visitors Infrastructure, construction Light industry Logistics transport Medico-Social Retirement home 				
Packaging	Box of 50 units 30 boxes in one cardbo Packaged without bags Or 5 bags of 10 masks	ard	MADEIN	FRANCE	tion or 1 raise related of the first transition of the	







3-ply Mask for medical use, CE-Marking (Type II) - ENI4683 3-ply Mask for medical use, PINK or BLACK Made in France

V II.04.2022



- 100% French manufacturing
- Electrostatic filter fleece
- Very comfortable Excellent respiratory comfort
- Without latex, silicone, PVC
- Without Graphene
- Adjustable nose bar with shape memory
- Manufacturing process guaranteeing the cleanliness of our products from the production line up to the packaging process



Category	Non-sterile Class I Medical device
	Single-use medical mask (type II)
Standard and legislation	EU Medical Devices Directive 93/42/EEC Complies with standard EN 14683:2019+AC:2019
Description	 Mask for medical use, non-sterile, for single use, Model: 1000 series Specifications: Adjustable shape memory nose clip, 3 sizes XS (child size), S, (slim Face), M (Adult) Dimensions: XS. 140 x 80 mm - S. 140 x 95 mm - M. 170 x 95 mm Bacterial filtration efficiency: see performance table Mask weight for each size (+/- 5%): Type II: XS 2.I gr - S 2.25 gr - M 2.45 gr
Composition	 Inner and outer layers: polypropylene nonwovens spunbond , Intermediate layer: nonwovens meltblown in polypropylene, Nose bar: aluminium strip, Elastic: Polyamide / spandex mesh ou polypropylene / spandex mesh French manufacturing lines – Controlled raw materials and products
Materiovigilance	The materials likely to come into contact with the wearer's skin do not present a risk of irritation or harmful effects to health.
Storage and preservation	Mask should be stored in a clean, dry, cool and well-ventilated place. Humidity less than 80%, temperatures between +5°C and +40°C. Maximum storage period: 5 years in their original packaging



3-ply Mask for medical use, PN CE-Marking (Type II) - ENI4683 3-ply Mask for medical use, PINK or BLACK Made in France

V II.04.2022

	1				_
Performances	EN 14683:2019 Type	Bacterial filtration effectiveness (BFE)	Differential Pres- sure (Pa/cm²)	Resistance to projections (kPa)	Cleanliness microbial (cfu/g)
	Type II	≥ 98 %	< 40	Not required	≤ 30
Duration of use	4 hours maximum (in o	one shift – continuous)			
Sector of use	 General public Professional, sectors for example: Medical sector not exposed to projections and splashes Service, community, visitors Infrastructure, construction Light industry Logistics transport Medico-Social Retirement home Schools Various exposed areas protecting the wearer against the health risk 				
Packaging	Box of 50 units 30 boxes in one cardbo Packaged without bags Or 5 bags of 10 masks	ard	MADEIN	FRANCE	Magama I stage melasis and parties of seasons and seasons of seasons








3-ply Mask for medical use, KID White - Size XS (child)

CE-Marking (Type II) - ENI4683 Made in France



- · I00% French manufacturing
- · Electrostatic filter fleece
- Very comfortable Excellent respiratory comfort
- · Without latex, silicone, PVC
- · Without Graphene
- · Adjustable nose bar with shape memory
- Manufacturing process guaranteeing the cleanliness of our products from the production line up to the packaging process



Category	Non-sterile Class I Medical device Single-use medical mask (type II)
Standard and legislation	EU Medical Devices Directive 93/42/EEC Complies with standard EN 14683:2019+AC:2019
Description	 Mask for medical use, non-sterile, for single use, Model: 1000 series Specifications: Adjustable shape memory nose clip, Size XS (child size) Dimensions: XS. 140 x 80 mm Bacterial filtration efficiency: see performance table Mask weight (+/- 5%): Type II: XS 2.I gr
Composition	 Inner and outer layers: polypropylene nonwovens spunbond , Intermediate layer: nonwovens meltblown in polypropylene, Nose bar: aluminium strip, Elastic: Polyamide / spandex mesh ou polypropylene / spandex mesh French manufacturing lines – Controlled raw materials and products
Materiovigilance	The materials likely to come into contact with the wearer's skin do not present a risk of irritation or harmful effects to health.
Storage and preservation	Mask should be stored in a clean, dry, cool and well-ventilated place. Humidity less than 80%. temperatures between +5°C and +40°C. Maximum storage period: 5 years in their original packaging



3-ply Mask for medical use, KID White - Size XS (child)

CE-Marking (Type II) - ENI4683 Made in France

Performances	EN 14683:2019 Type	Bacterial filtration effectiveness (BFE)	Differential Pressure (Pa/cm²)	Resistance to projections (kPa)	Cleanliness microbial (cfu/g)
	Type II	≥ 98 %	< 40	Not required	≤ 30
Duration of use	4 hours maximum (in a	one shift – continuous)			
Sector of use	 General public Professional, sectors for example : Medical sector not exposed to projections and splashes Service, community, visitors Infrastructure, construction Light industry Logistics transport Medico-Social Retirement home Schools Various exposed areas protecting the wearer against the health risk 				
Packaging	Box of 50 units 30 boxes in one cardbo Packaged without bags Or 5 bags of 10 masks	ard	MADEIN	FRANCE	tion on a major reducing the control of the control








BLUE - Size XS (child)

CE-Marking (Type II) - ENI4683 Made in France



- · I00% French manufacturing
- · Electrostatic filter fleece
- Very comfortable Excellent respiratory comfort
- · Without latex, silicone, PVC
- · Without Graphene
- · Adjustable nose bar with shape memory
- Manufacturing process guaranteeing the cleanliness of our products from the production line up to the packaging process



Category	Non-sterile Class I Medical device
	Single-use medical mask (type II)
Standard and legislation	· EU Medical Devices Directive 93/42/EEC
	· Complies with standard EN 14683:2019+AC:2019
Description	· Mask for medical use, non-sterile, for single use,
	· Model : 1000 series
	Specifications:
	· Adjustable shape memory nose clip.
	Size XS (child size)
	Dimensions: XS. I40 x 80 mm
	· Bacterial filtration efficiency: see performance table
	• Mask weight (+/- 5%):
	Type II : XS 2,I gr
Composition	· Inner and outer layers: polypropylene nonwovens spunbond ,
•	Intermediate layer: nonwovens meltblown in polypropylene,
	Nose bar: aluminium strip,
	Elastic: Polyamide / spandex mesh ou polypropylene / spandex mesh
	French manufacturing lines - Controlled raw materials and products
Materiovigilance	The materials likely to come into contact with the wearer's skin do not present a risk of
	irritation or harmful effects to health.
Storage and preservation	Mask should be stored in a clean, dry, cool and well-ventilated place. Humidity less than 80%,
	temperatures between +5°C and +40°C. Maximum storage period: 5 years in their original
	packaging



BLUE - Size XS (child)

CE-Marking (Type II) - ENI4683 Made in France

Performances	EN 14683:2019	Bacterial filtration effectiveness (BFE)	Differential Pressure (Pa/cm²)	Resistance to projections (kPa)	Cleanliness microbial (cfu/g)
	Type II	≥ 98 %	< 40	Not required	≤ 30
Duration of use	4 hours maximum (in a	one shift – continuous)		'	'
Sector of use	 General public Professional, sectors for example: Medical sector not exposed to projections and splashes Service, community, visitors Infrastructure, construction Light industry Logistics transport Medico-Social Retirement home Schools Various exposed areas protecting the wearer against the health risk 				
Packaging	Box of 50 units 30 boxes in one cardbo Packaged without bags Or 5 bags of 10 masks	ard	MADEIN	FRANCE	Happen Lander medical Use describe consistence







PINK - Size XS (child)

CE-Marking (Type II) - ENI4683 Made in France



- · I00% French manufacturing
- · Electrostatic filter fleece
- · Very comfortable Excellent respiratory comfort
- · Without latex, silicone, PVC
- · Without Graphene
- · Adjustable nose bar with shape memory
- Manufacturing process guaranteeing the cleanliness of our products from the production line up to the packaging process



Category	Non-sterile Class I Medical device Single-use medical mask (type II)
Standard and legislation	EU Medical Devices Directive 93/42/EEC Complies with standard EN 14683:2019+AC:2019
Description	 Mask for medical use, non-sterile, for single use, Model: 1000 series Specifications: Adjustable shape memory nose clip, Size XS (child size) Dimensions: XS. 140 x 80 mm Bacterial filtration efficiency: see performance table Mask weight (+/- 5%): Type II: XS 2.I gr
Composition	 Inner and outer layers: polypropylene nonwovens spunbond , Intermediate layer: nonwovens meltblown in polypropylene, Nose bar: aluminium strip, Elastic: Polyamide / spandex mesh ou polypropylene / spandex mesh French manufacturing lines – Controlled raw materials and products
Materiovigilance	The materials likely to come into contact with the wearer's skin do not present a risk of irritation or harmful effects to health.
Storage and preservation	Mask should be stored in a clean, dry, cool and well-ventilated place. Humidity less than 80%, temperatures between +5°C and +40°C. Maximum storage period: 5 years in their original packaging




PINK - Size XS (child)

CE-Marking (Type II) - ENI4683 Made in France

Performances	EN 14683:2019	Bacterial filtration effectiveness (BFE)	Differential Pressure (Pa/cm²)	Resistance to projections (kPa)	Cleanliness microbial (cfu/g)	
	Type II	≥ 98 %	< 40	Not required	≤ 30	
Duration of use	4 hours maximum (in	one shift – continuous)				
Sector of use	 Medical sector not Service, community Infrastructure, cons Light industry Logistics transport Medico-Social Retirement home Schools 	 General public Professional, sectors for example: Medical sector not exposed to projections and splashes Service, community, visitors Infrastructure, construction Light industry Logistics transport Medico-Social Retirement home 				
Packaging	Box of 50 units 30 boxes in one cardbo Packaged without bags Or 5 bags of 10 masks	ard	MADEIN	FRANCE	Manager & Americand all Manager & Ma	







3-ply Mask for medical use, KID BLACK - Size XS (child) CE-Marking (Type II) - ENI4683 Made in France



	No. of the Control of
Category	Non-sterile Class I Medical device Single-use medical mask (type II)
Standard and legislation	EU Medical Devices Directive 93/42/EEC Complies with standard EN 14683:2019+AC:2019
Description	 Mask for medical use, non-sterile, for single use, Model: I000 series Specifications: Adjustable shape memory nose clip, Size XS (child size) Dimensions: XS. I40 x 80 mm Bacterial filtration efficiency: see performance table Mask weight (+/- 5%): Type II: XS 2.I gr
Composition	 Inner and outer layers: polypropylene nonwovens spunbond . Intermediate layer: nonwovens meltblown in polypropylene. Nose bar: aluminium strip. Elastic: Polyamide / spandex mesh ou polypropylene / spandex mesh French manufacturing lines – Controlled raw materials and products
Materiovigilance	The materials likely to come into contact with the wearer's skin do not present a risk of irritation or harmful effects to health.
Storage and preservation	Mask should be stored in a clean, dry, cool and well-ventilated place. Humidity less than 80%, temperatures between +5°C and +40°C. Maximum storage period: 5 years in their original packaging



3-ply Mask for medical use, KID BLACK - Size XS (child) CE-Marking (Type II) - ENI4683 Made in France

Performances	EN 14683:2019 Type	Bacterial filtration effectiveness (BFE)	Differential Pres- sure (Pa/cm²)	Resistance to projections (kPa)	Cleanliness microbial (cfu/g)
	Type II	≥ 98 %	< 40	Not required	≤ 30
Duration of use	4 hours maximum (in a	one shift – continuous)			
Sector of use	 General public Professional, sectors for example: Medical sector not exposed to projections and splashes Service, community, visitors Infrastructure, construction Light industry Logistics transport Medico-Social Retirement home Schools Various exposed areas protecting the wearer against the health risk 				
Packaging	Box of 50 units 30 boxes in one cardbo Packaged without bags Or 5 bags of 10 masks	ard	MADEIN	FRANCE	top on a supervision of the control



