




3-ply Mask for medical use, **BLUE** or **WHITE** CE-Marking (Type II) - ENI4683 Swiss Made

V II.04.2022



Adjustable shape
memory nose clip

Comfortable
and breathable

Bacterial
Filtration



The Advantages⁺

- 100% French manufacturing
- Electrostatic filter fleece
- Very comfortable – Excellent respiratory comfort
- Without latex, silicone, PVC
- Without Graphene
- Adjustable nose bar with shape memory
- Manufacturing process guaranteeing the cleanliness of our products from the production line up to the packaging process





ENI4683


Category	Non-sterile Class I Medical device Single-use medical mask (type II)
Standard and legislation	<ul style="list-style-type: none"> • EU Medical Devices Directive 93/42/EEC • Complies with standard EN 14683:2019+AC:2019
Description	<ul style="list-style-type: none"> • Mask for medical use, non-sterile, for single use. • Model : 1000 series Specifications : <ul style="list-style-type: none"> • Adjustable shape memory nose clip. • 3 sizes XS (child size), S. (slim Face), M (Adult) • Dimensions: XS. 140 x 80 mm – S. 140 x 95 mm – M. 170 x 95 mm • Bacterial filtration efficiency: see performance table • Mask weight for each size (+/- 5%): Type II : XS 2.1 gr - S 2.25 gr - M 2.45 gr
Composition	<ul style="list-style-type: none"> • Inner and outer layers: polypropylene nonwovens spunbond . • Intermediate layer: nonwovens meltblown in polypropylene. • Nose bar: aluminium strip. • Elastic: Polyamide / spandex mesh ou polypropylene / spandex mesh • French manufacturing lines – Controlled raw materials and products
Materiovigilance	The materials likely to come into contact with the wearer's skin do not present a risk of irritation or harmful effects to health.
Storage and preservation	Mask should be stored in a clean, dry, cool and well-ventilated place. Humidity less than 80%, temperatures between +5°C and +40°C. Maximum storage period: 5 years in their original packaging



3-ply Mask for medical use, **BLUE** or **WHITE** CE-Marking (Type II) - EN14683 Swiss Made

V 11.04.2022

Performances	EN 14683:2019	Bacterial filtration effectiveness (BFE)	Differential Pressure (Pa/cm²)	Resistance to projections (kPa)	Cleanliness microbial (cfu/g)
	Type				
	Type II	≥ 98 %	< 40	Not required	≤ 30
Duration of use	4 hours maximum (in one shift – continuous)				
Sector of use	<ul style="list-style-type: none"> · General public · Professional, sectors for example : <ul style="list-style-type: none"> · Medical sector not exposed to projections and splashes · Service, community, visitors · Infrastructure, construction · Light industry · Logistics transport · Medico-Social · Retirement home · Schools · Various exposed areas protecting the wearer against the health risk 				
Packaging	Box of 50 units 30 boxes in one cardboard Packaged without bags Or 5 bags of 10 masks <div style="text-align: right;">  </div>				
			SWISS  MADE		





3-ply Mask for medical use, **PINK** or **BLACK** CE-Marking (Type II) - ENI4683 Swiss Made

V 11.04.2022



The Advantages⁺

- 100% French manufacturing
- Electrostatic filter fleece
- Very comfortable – Excellent respiratory comfort
- Without latex, silicone, PVC
- Without Graphene
- Adjustable nose bar with shape memory
- Manufacturing process guaranteeing the cleanliness of our products from the production line up to the packaging process





ENI4683

Category	Non-sterile Class I Medical device Single-use medical mask (type II)
Standard and legislation	<ul style="list-style-type: none">• EU Medical Devices Directive 93/42/EEC• Complies with standard EN 14683:2019+AC:2019
Description	<ul style="list-style-type: none">• Mask for medical use, non-sterile, for single use.• Model : 1000 series Specifications : <ul style="list-style-type: none">• Adjustable shape memory nose clip.• 3 sizes XS (child size), S. (slim Face), M (Adult)• Dimensions: XS. 140 x 80 mm – S. 140 x 95 mm – M. 170 x 95 mm• Bacterial filtration efficiency: see performance table• Mask weight for each size (+/- 5%): Type II : XS 2,1 gr - S 2,25 gr - M 2,45 gr
Composition	<ul style="list-style-type: none">• Inner and outer layers: polypropylene nonwovens spunbond .• Intermediate layer: nonwovens meltblown in polypropylene.• Nose bar: aluminium strip.• Elastic: Polyamide / spandex mesh ou polypropylene / spandex mesh• French manufacturing lines – Controlled raw materials and products
Materiovigilance	The materials likely to come into contact with the wearer's skin do not present a risk of irritation or harmful effects to health.
Storage and preservation	Mask should be stored in a clean, dry, cool and well-ventilated place. Humidity less than 80%, temperatures between +5°C and +40°C. Maximum storage period: 5 years in their original packaging




3-ply Mask for medical use, **PINK** or **BLACK** CE-Marking (Type II) - EN14683 Swiss Made


V 11.04.2022

Performances	EN 14683:2019	Bacterial filtration effectiveness (BFE)	Differential Pressure (Pa/cm²)	Resistance to projections (kPa)	Cleanliness microbial (cfu/g)
	Type II	≥ 98 %	< 40	Not required	≤ 30
Duration of use	4 hours maximum (in one shift – continuous)				
Sector of use	<ul style="list-style-type: none"> · General public · Professional, sectors for example : <ul style="list-style-type: none"> · Medical sector not exposed to projections and splashes · Service, community, visitors · Infrastructure, construction · Light industry · Logistics transport · Medico-Social · Retirement home · Schools · Various exposed areas protecting the wearer against the health risk 				
Packaging	Box of 50 units 30 boxes in one cardboard Packaged without bags Or 5 bags of 10 masks <div style="text-align: right;">  </div>				
			SWISS  MADE		





Bacterial Filtration >



< Comfortable and breathable

< Adjustable shape memory nose clip

The Advantages⁺

- 100% French manufacturing
- Electrostatic filter fleece
- Very comfortable – Excellent respiratory comfort
- Without latex, silicone, PVC
- Without Graphene
- Adjustable nose bar with shape memory
- Manufacturing process guaranteeing the cleanliness of our products from the production line up to the packaging process



EN14683

Category	Non-sterile Class I Medical device Single-use medical mask (type II)
Standard and legislation	<ul style="list-style-type: none"> · EU Medical Devices Directive 93/42/EEC · Complies with standard EN 14683:2019+AC:2019
Description	<ul style="list-style-type: none"> · Mask for medical use, non-sterile, for single use. · Model : 1000 series Specifications : <ul style="list-style-type: none"> · Adjustable shape memory nose clip. · Size XS (child size) · Dimensions: XS. 140 x 80 mm · Bacterial filtration efficiency: see performance table · Mask weight (+/- 5%): Type II : XS 2.1 gr
Composition	<ul style="list-style-type: none"> · Inner and outer layers: polypropylene nonwovens spunbond . · Intermediate layer: nonwovens meltblown in polypropylene. · Nose bar: aluminium strip. · Elastic: Polyamide / spandex mesh ou polypropylene / spandex mesh · French manufacturing lines – Controlled raw materials and products
Materiovigilance	The materials likely to come into contact with the wearer's skin do not present a risk of irritation or harmful effects to health.
Storage and preservation	Mask should be stored in a clean, dry, cool and well-ventilated place. Humidity less than 80%, temperatures between +5°C and +40°C. Maximum storage period: 5 years in their original packaging





3-ply Mask for medical use, KID


White - Size XS (child)

CE-Marking (Type II) - EN14683

Swiss Made


V 11.04.2022

Performances	EN 14683:2019	Bacterial filtration effectiveness (BFE)	Differential Pressure (Pa/cm²)	Resistance to projections (kPa)	Cleanliness microbial (cfu/g)
	Type II	≥ 98 %	< 40	Not required	≤ 30
Duration of use	4 hours maximum (in one shift – continuous)				
Sector of use	<ul style="list-style-type: none"> · General public · Professional, sectors for example : <ul style="list-style-type: none"> · Medical sector not exposed to projections and splashes · Service, community, visitors · Infrastructure, construction · Light industry · Logistics transport · Medico-Social · Retirement home · Schools · Various exposed areas protecting the wearer against the health risk 				
Packaging	Box of 50 units 30 boxes in one cardboard Packaged without bags Or 5 bags of 10 masks <div style="text-align: right;">  </div>				
				SWISS  MADE	





Bacterial Filtration >



< Comfortable and breathable

< Adjustable shape memory nose clip

The Advantages⁺

- 100% French manufacturing
- Electrostatic filter fleece
- Very comfortable – Excellent respiratory comfort
- Without latex, silicone, PVC
- Without Graphene
- Adjustable nose bar with shape memory
- Manufacturing process guaranteeing the cleanliness of our products from the production line up to the packaging process



EN14683

Category	Non-sterile Class I Medical device Single-use medical mask (type II)
Standard and legislation	<ul style="list-style-type: none"> · EU Medical Devices Directive 93/42/EEC · Complies with standard EN 14683:2019+AC:2019
Description	<ul style="list-style-type: none"> · Mask for medical use, non-sterile, for single use. · Model : 1000 series Specifications : <ul style="list-style-type: none"> · Adjustable shape memory nose clip. · Size XS (child size) · Dimensions: XS. 140 x 80 mm · Bacterial filtration efficiency: see performance table · Mask weight (+/- 5%): Type II : XS 2.1 gr
Composition	<ul style="list-style-type: none"> · Inner and outer layers: polypropylene nonwovens spunbond . · Intermediate layer: nonwovens meltblown in polypropylene. · Nose bar: aluminium strip. · Elastic: Polyamide / spandex mesh ou polypropylene / spandex mesh · French manufacturing lines – Controlled raw materials and products
Materiovigilance	The materials likely to come into contact with the wearer's skin do not present a risk of irritation or harmful effects to health.
Storage and preservation	Mask should be stored in a clean, dry, cool and well-ventilated place. Humidity less than 80%, temperatures between +5°C and +40°C. Maximum storage period: 5 years in their original packaging



3-ply Mask for medical use, KID

BLUE – Size XS (child)


CE-Marking (Type II) – EN14683

Swiss Made

V 11.04.2022


Performances	EN 14683:2019	Bacterial filtration effectiveness (BFE)	Differential Pressure (Pa/cm²)	Resistance to projections (kPa)	Cleanliness microbial (cfu/g)
	Type				
	Type II	≥ 98 %	< 40	Not required	≤ 30
Duration of use	4 hours maximum (in one shift – continuous)				
Sector of use	<ul style="list-style-type: none"> · General public · Professional, sectors for example : <ul style="list-style-type: none"> · Medical sector not exposed to projections and splashes · Service, community, visitors · Infrastructure, construction · Light industry · Logistics transport · Medico-Social · Retirement home · Schools · Various exposed areas protecting the wearer against the health risk 				
Packaging	Box of 50 units 30 boxes in one cardboard Packaged without bags Or 5 bags of 10 masks				

SWISS  MADE



Klap Suisse SA

Chemin du pont-du-centenaire 110 - 1228 Plan-les-ouates - Suisse - Tel : +41 22 809 07 25 - hello@klapsolutions.com - www.klapsolutions.com - member of m3 GROUPE



Bacterial Filtration >



< Comfortable and breathable

< Adjustable shape memory nose clip

The Advantages⁺

- 100% French manufacturing
- Electrostatic filter fleece
- Very comfortable – Excellent respiratory comfort
- Without latex, silicone, PVC
- Without Graphene
- Adjustable nose bar with shape memory
- Manufacturing process guaranteeing the cleanliness of our products from the production line up to the packaging process



EN14683


Category	Non-sterile Class I Medical device Single-use medical mask (type II)
Standard and legislation	<ul style="list-style-type: none"> • EU Medical Devices Directive 93/42/EEC • Complies with standard EN 14683:2019+AC:2019
Description	<ul style="list-style-type: none"> • Mask for medical use, non-sterile, for single use. • Model : 1000 series <p>Specifications :</p> <ul style="list-style-type: none"> • Adjustable shape memory nose clip. • Size XS (child size) • Dimensions: XS. 140 x 80 mm • Bacterial filtration efficiency: see performance table • Mask weight (+/- 5%): Type II : XS 2.1 gr
Composition	<ul style="list-style-type: none"> • Inner and outer layers: polypropylene nonwovens spunbond . • Intermediate layer: nonwovens meltblown in polypropylene. • Nose bar: aluminium strip. • Elastic: Polyamide / spandex mesh ou polypropylene / spandex mesh • French manufacturing lines – Controlled raw materials and products
Materiovigilance	The materials likely to come into contact with the wearer's skin do not present a risk of irritation or harmful effects to health.
Storage and preservation	Mask should be stored in a clean, dry, cool and well-ventilated place. Humidity less than 80%, temperatures between +5°C and +40°C. Maximum storage period: 5 years in their original packaging



3-ply Mask for medical use, KID

PINK - Size XS (child)


CE-Marking (Type II) - EN14683

Swiss Made 

V 11.04.2022

Performances	EN 14683:2019	Bacterial filtration effectiveness (BFE)	Differential Pressure (Pa/cm²)	Resistance to projections (kPa)	Cleanliness microbial (cfu/g)
	Type				
	Type II	≥ 98 %	< 40	Not required	≤ 30
Duration of use	4 hours maximum (in one shift – continuous)				
Sector of use	<ul style="list-style-type: none"> · General public · Professional, sectors for example : <ul style="list-style-type: none"> · Medical sector not exposed to projections and splashes · Service, community, visitors · Infrastructure, construction · Light industry · Logistics transport · Medico-Social · Retirement home · Schools · Various exposed areas protecting the wearer against the health risk 				
Packaging	Box of 50 units 30 boxes in one cardboard Packaged without bags Or 5 bags of 10 masks				

SWISS  MADE



Klap Suisse SA

Chemin du pont-du-centenaire 110 - 1228 Plan-les-ouates - Suisse - Tel : +41 22 809 07 25 - hello@klapsolutions.com - www.klapsolutions.com - member of m3 GROUPE




3-ply Mask for medical use, KID BLACK - Size XS (child) CE-Marking (Type II) - EN14683 Swiss Made

V 11.04.2022



Bacterial
Filtration



Comfortable and
breathable

Adjustable shape
memory nose clip

The Advantages⁺

- 100% French manufacturing
- Electrostatic filter fleece
- Very comfortable – Excellent respiratory comfort
- Without latex, silicone, PVC
- Without Graphene
- Adjustable nose bar with shape memory
- Manufacturing process guaranteeing the cleanliness of our products from the production line up to the packaging process





EN14683

Category	Non-sterile Class I Medical device Single-use medical mask (type II)
Standard and legislation	<ul style="list-style-type: none"> • EU Medical Devices Directive 93/42/EEC • Complies with standard EN 14683:2019+AC:2019
Description	<ul style="list-style-type: none"> • Mask for medical use, non-sterile, for single use. • Model : 1000 series <p>Specifications :</p> <ul style="list-style-type: none"> • Adjustable shape memory nose clip. • Size XS (child size) • Dimensions: XS. 140 x 80 mm • Bacterial filtration efficiency: see performance table • Mask weight (+/- 5%): Type II : XS 2,1 gr
Composition	<ul style="list-style-type: none"> • Inner and outer layers: polypropylene nonwovens spunbond . • Intermediate layer: nonwovens meltblown in polypropylene. • Nose bar: aluminium strip. • Elastic: Polyamide / spandex mesh ou polypropylene / spandex mesh • French manufacturing lines – Controlled raw materials and products
Materiovigilance	The materials likely to come into contact with the wearer's skin do not present a risk of irritation or harmful effects to health.
Storage and preservation	Mask should be stored in a clean, dry, cool and well-ventilated place. Humidity less than 80%, temperatures between +5°C and +40°C. Maximum storage period: 5 years in their original packaging



3-ply Mask for medical use, KID BLACK - Size XS (child) CE-Marking (Type II) - EN14683 Swiss Made

V 11.04.2022

Performances	EN 14683:2019	Bacterial filtration effectiveness (BFE)	Differential Pressure (Pa/cm²)	Resistance to projections (kPa)	Cleanliness microbial (cfu/g)
	Type II	≥ 98 %	< 40	Not required	≤ 30
Duration of use	4 hours maximum (in one shift – continuous)				
Sector of use	<ul style="list-style-type: none"> · General public · Professional, sectors for example : <ul style="list-style-type: none"> · Medical sector not exposed to projections and splashes · Service, community, visitors · Infrastructure, construction · Light industry · Logistics transport · Medico-Social · Retirement home · Schools · Various exposed areas protecting the wearer against the health risk 				
Packaging	Box of 50 units 30 boxes in one cardboard Packaged without bags Or 5 bags of 10 masks <div>  </div>				
				SWISS  MADE	

